. . .

2

FINAL REPORT

May 1988

EVT 52-87

ENGINEERING TEST OF PRO-FORM
MATERIAL HANDLING DIVISION OF
L.T. HAMPLE CORPORATION
4,000-POUND STEEL REINFORCED
PLASTIC PALLET



Prepared for:

U.S. Army Armament Research, Development and Engineering Center

ATTN: SMCAR-ESK

Rock Island, IL 61299-7300

Distribution Unlimited

**EVALUATION DIVISION SAVANNA, ILLINOIS 61074-9639** 

000

US ARMY ARMAMENT MUNITIONS CHEMICAL COMMAND

US ARMY DEFENSE AMMUNITION CENTER AND SCHOOL





# AVAILABILITY NOTICE

A copy of this report is furnished each attendee on automatic distribution.

Additional copies or authority for reprinting may be obtained by written request from Director, U.S. Army Defense Ammunition Center and School.

ATTN: SMCAC-DEV, Savanna, IL 61074-9639.

### DISTRIBUTION INSTRUCTIONS

Destroy this report when no longer needed. Do not return.

\* \* \*

Citation of trade names in this report does not constitute an official endorsement.

\* \* \*

The information contained herein will not be used for advertising purposes.

		١	REPORT [	OCUMENTATIO	N PAGE			Form Approved OMB No. 0704-0188
1a. REPORT S UNCLAS	ECURITY CLASS	IFICATI	ON		16. RESTRICTIVE	MARKINGS		
	CLASSIFICATIO	N AUT	HORITY		3. DISTRIBUTIO	N/AVAILABILITY	OF REPORT	
2b. DECLASSII	FICATION / DOW	VNGRA	DING SCHEDU	LE	1			
4. PERFORMIN	IG ORGANIZAT	ION RE	PORT NUMBE	R(S)	5. MONITORING	ORGANIZATION	N REPORT NU	JMBER(S)
EVT 52-8	7							
6a. NAME OF PERFORMING ORGANIZATION U.S. Army Defense Ammunition Center and School  6b. OFFICE SYMBOL (If applicable) SMCAC-DEV			7a. NAME OF MONITORING ORGANIZATION					
	(City, State, an		ode)	Shore BEV	7b. ADDRESS (C	ity, State, and 2	ZIP Code)	
	IL 61074-							
	FUNDING/SPC ATION Armament			8b. OFFICE SYMBOL (If applicable)	9. PROCUREMEN	NT INSTRUMENT	IDENTIFICAT	ION NUMBER
_	mical Com		iltions	SMCAR-ESK				
8c. ADDRESS (	City, State, and	ZIP Co	de)	<u> </u>	10. SOURCE OF			
Rock Isla	nd, IL 61	299-7	300		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
Engineeri	•	f PRC	)-FORM Mat	terial Handling	Division of	L.T. Hamp	le Corpo	ration 4,000-pound
	nforced P	lasti	c Pallet					
12. PERSONAL Mr. A. C.	McIntosh	, Jr.						
13a. TYPE OF FINAL	REPORT		13b. TIME CO	OVERED 10	14. DATE OF REP 1988 May 2	ORT (Year, Mon		PAGE COUNT
16. SUPPLEME	NTARY NOTAI	ON						
17.	COSATI	CODES		18. SUBJECT TERMS (6	Continue on rever	se if necessary	and identify	by block number)
FIELD	GROUP	SU	B-GROUP	MIL-STD-1660	Ammu	nition Uni	tization	
				Plastic Pallet	MIL-	P-15011	( K - ) &	
The been tas (ARDEC) PRO-FORI requirer The samp MIL-STD	U.S. Army sked by the SMCAR-ES M, Materia ments to do le pallet	Define U.S.K., Roll Hander was	ense Ammu S. Army A ock Islan ndling Di mine if i loaded t sequence.	rmament Research d, IL 61299-7300 vision of L. T. t is acceptable o 4,000 pounds a	nd School (In, Development), to subject the Hample Corporate in and subjected the collar	ent and Engate a plastic coration, the transped to the cosed approximation.	gineering ic pallet to MIL-ST portation first two kimately	submitted by TD-1660 test of ammunition. o steps in the 90 minutes into
	TION / AVAILAB	_	F ABSTRACT  SAME AS F	RPT. DTIC USERS	21. ABSTRACT S UNCLAS	ECURITY CLASSI STFTED	FICATION	
				ation Division	22b. TELEPHONE (815)273-80			FFICE SYMBOL C-DEV

# U.S. ARMY DEFENSE AMMUNITION CENTER AND SCHOOL Evaluation Division Savanna, IL 61074-9639

# REPORT NO. EVT 52-87

# TABLE OF CONTENTS

PA.	RT	PAGE NO	) .
	1.	INTRODUCTION	l
		A. Background	1
		B. Authority	l
		C. Objective	ì
	2.	ATTENDEES	l
	3.	TEST PROCEDURES	L
	4.	TEST EQUIPMENT	l
	5.	TEST RESULTS	l
	6.	CONCLUSIONS	l
	7.	PHOTOGRAPHS	l
	А	TEST DRAWINGS 8-1	1

Acces	sion Fo	r	
NTIS	GRA&I		H
DTIC	TAB		17
Unann	ounced		
Justi	ficatio	n	
By Distr	ibut1or	·/	
Avai	labilit	y Co	des
Dist	Avail Spec	-	r
A-1			



#### INTRODUCTION

- A. <u>BACKGROUND</u>. The U.S. Army Armament Research, Development and Engineering Center (ARDEC), SMCAR-ESK, Rock Island, IL 61299-7300 has tasked The U.S. Army Defense Ammunition Center and School (USADACS) to test the PRO-FORM Material Handling Division of L.T. Hample Corporation steel-reinforced plastic pallet to MIL-STD-1660 requirements. It has also been requested that any deficiencies in the pallet design be identified, other than the physical size of the pallet. The pallet supplied was capable of sustaining a load of 5,000 pounds; however, a 4,300-pound test load was used to simulate a maximum realistic ammunition pallet load.
- B. <u>AUTHORITY</u>. This study was conducted in accordance with mission responsibilities delegated by the U.S. Army Armament, Munitions and Chemical Command (AMCCOM) as requested by SMCAR-ESK.
- C. <u>OBJECTIVE</u>. The objective of this report is to document MIL-STD-1660 design criteria for ammunition unit loads as applied to the steel reinforced plastic pallet supplied by PRO-FORM Material Handling Division of L.T. Hample Corporation, Germantown, WI.

### **ATTENDEES**

Mr. A. C. McIntosh Test Engineer U.S. Army Defense Ammunition Center and School

ATTN: SMCAC-DEV

Savanna, IL 61074-9639

AV 585-8989

Mr. David Valant Electronics Technician U.S. Army Defense Ammunition Center and School

ATTN: SMCAC-DEV

Savanna, IL 61074-9639

AV 585-8988

#### TEST PROCEDURES

The test procedures outlined in this section are extracted from MIL-STD-1660, Design Criteria for Ammunition Unit Loads, 8 April 1977. This standard identifies nine steps that a unitized load must undergo if it is considered to be acceptable. The tests conducted on the plastic pallet are synopsized below:

- 1. STACKING TESTS. The unit load shall be loaded to simulate a stack of identical unit loads stacked 16 feet high, for a period of one hour. This stacking load is simulated by subjecting the unit load to a compression of weight equal to an equivalent 16-foot stacking height. The compression load is calculated in the following manner. The unit load weight is divided by the unit load height in inches and multiplied by 192. The resulting number is the equivalent compressive force of a 16 foot high load.
- 2. REPETITIVE SHOCK TEST. The repetitive shock test shall be conducted in accordance with Method 5019, Federal Standard 101. The test procedure is as follows: The test specimen shall be placed on, but not fastened to, the platform. With the specimen in one position, vibrate the platform at 1/2 inch amplitude (1 inch double amplitude) starting at a frequency of about 3 cycles per second. Steadily increase the frequency until the package leaves the platform. The resonant frequency is achieved when a 1/16-inch-thick feeler may be momentarily slid freely between every point on the specimen in contact with the platform at some instance during the cycle or a platform acceleration achieves one plus or minus zero point one G. Midway into the testing period the specimen shall be rotated 90 degrees and the test continued for the duration. If failure occurs, the total time of vibration shall be two hours if the specimen is tested in one position; and if tested in more than one position, the total time shall be three hours.

### TEST EQUIPMENT

### 1. TEST SPECIMEN.

a. Drawing Number: 19-48-4116/15C

b. Width: 44 inches

c. Length: 48 inches

d. Height: 49-3/4 inches

e. Weight: 4,300 pounds

# 2. COMPRESSION TESTER.

a. Manufacturer: Ormond Scientific

b. Platform: 60 inches by 60 inches

c. Compression Limit: 50,000 pounds

d. Tension Limit: 50,000 pounds

# 3. TRANSPORTATION SIMULATOR.

a. Manufacturer: Gaynes Laboratory

b. Capacity: 6,000 pound pallet

c. 1/2-inch Amplitude

d. Speed: 50 to 3000 cpm

e. Platform: 5 foot by 8 foot

### TEST RESULTS

#### 1. STACKING TEST.

Pallet Weight - 4,300 pounds

Pallet Height - 49.75 inches

Test Load - 16,600 pounds

The subject pallet was loaded to 17,000 pounds compression for a period of one hour. At the end of that period of time the compression load decreased to approximately 16,500 pounds. When the test specimen was removed from the compression tester no measurable deformation was realized.

2. REPETITIVE SHOCK TEST. The subject pallet failed the transportation test in a 90-minute period. The transportation simulator was operated at 200 rpm for the duration of the test. Failure occurred in collapse of the center posts on the pallet from fatigue.


# CONCLUSIONS


1. <u>CONCLUSIONS</u>. The PRO-FORM Material Handling Corporation Division of L.T. Hample Corporation steel reinforced plastic pallet did not satisfy the design criteria for ammunition unit loads (MIL-STD-1660). The failure occurred during the transportation simulation test. The failure was a collapse of the outside center posts. The center posts cracked from the deck and at the base. This pallet, as designed, is not acceptable for the transportation of ammunition.

# PART 7 PHOTOGRAPHS

# DEFENSE AMMUNITION CENTER AND SCHOOL-SAVANNA, IL

Photo No. 1. This photo shows the PRO-FORM Material Handling Division of L.T. Hample Corporation steel reinforced plastic pallet loaded to a weight of 4,300 pounds prior to testing.






DEFENSE AMMUNITION CENTER AND SCHOOL- SAVANNA, IL

Photo No. 2. This photo shows the PRO-FORM Material Handling Division of L.T. Hample Corporation steel reinforced plastic pallet loaded in the transportation simulator prior to testing.




DEFENSE AMMUNITION CENTER AND SCHOOL- SAVANNA, IL

Photo No. 3. This photo shows the PRO-FORM Material Handling Division of L.T. Hample Corporation steel reinforced plastic pallet with the collapsed center posts after a 90-minute period in the transportation simulator. Note that the pallet deck has also collapsed from the weight of the load.



DEFENSE AMMUNITION CENTER AND SCHOOL- SAVANNA, IL

Photo No. 4. This photo shows the PRO-FORM Material Handling Division of L.T. Hample Corporation steel reinforced plastic pallet after it was unloaded. Note the cracking of the center pillar at the deck and of the upper and lower pillars in the foreground. Also note that the pillar has deformed from heat generated during the transportation simulation test.



# DEFENSE AMMUNITION CENTER AND SCHOOL - SAVANNA, IL

Photo No. 5. This photo shows a bottom view of the PRO-FORM Material Handling Division of L.T. Hample Corporation steel reinforced plastic pallet. Note the cracking around the joints where the posts connect to the pallet deck.

# PART 8 TEST DRAWINGS

# APPENDIX 15C

# UNITIZATION PROCEDURES FOR BOXED AMMUNITION AND COMPONENTS ON 4-WAY ENTRY PALLETS

CARTRIDGE. 20MM. PACKED VARIOUS QUANTITIES PER M548 METAL BOX, UNITIZED 24 BOXES PER 40" X 48" PALLET; APPROX BOX SIZE 18器 L X 8<sup>19</sup> W X 14<sup>19</sup> H

NSN	
CLASS   CLASS   CROUP	GHT
00-785-2829         A651         C         I         1.4         C         3,981           00-522-3700         A651         C         I         1.4         C         3,981           00-935-6171         A659         A         IV         (04)1.2         E         3,981           00-143-6918         A760         A         IV         (04)1.2         E         3,189           00-926-9278         A791         A         IV         (04)1.2         E         3,189           00-143-7050         A813         A         IV         (04)1.2         G         3,189           00-143-7049         A814         A         IV         (04)1.2         G         3,189           00-180-9270         A833         A         IV         (04)1.2         E         3,189           00-180-9271         A834         A         IV         (04)1.2         E         3,189           00-143-7176         A835         A         IV         (04)1.2         E         3,189           00-143-7167         A846         A         IV         (04)1.2         E         3,189           00-143-7167         B865         A         IV         (04)1.2	S)
00-112-0493	81 189 189 189 189 189 189 189 189 189 1

THIS APPENDIX SUPERSEDES THE TWO-LAYER UNITIZATION PROCEDURES OF INTERIM DRAWING 19-48-4141-20PA1003, DATED FEBRUARY 1977.

01-118-9929 A659

DO NOT SCALE

(04)1. 2

HAZARD CLASSIFICATION DATA CONTAINED IN THE CHART AT LEFT IS FOR GUIDANCE AND INFORMATIONAL PURPOSES ONLY. VERIFICATION OF THE SPECIFIED DATA SHOULD BE MADE BY CONSULTING THE MOST RECENT JOINT HAZARD CLASSIFICATION SYSTEM LISTING OR OTHER APPROVED LISTING(S).

#### REVISIONS

REVISION NO. 1, DATED NOVEMBER 1981, CONSISTS OF:

- 1. ADDING NATIONAL STOCK NUMBER TO THE "PALLET UNIT DATA" CHART.
- 2. REDESIGNING "FILLER ASSEMBLY". REVISION NO. 2. DATED NOVEMBER 1982, CONSISTS OF:


ADDING NOTE "J" TO GENERAL NOTES SECTION ON PAGE 2.

REVISION NO. 3, DATED DECEMBER 1983, CONSISTS OF:

1. CHANGING BOX DIMENSIONS.

NOTICE: THIS APPENDIX CANNOT STAND ALONE BUT MUST BE USED IN CONJUNCTION WITH THE BASIC UNITIZATION PROCEDURES DRAWING 19-48-4116-20PA1002.

Γ		REVI	SIONS		WR	Fliwr	
-	NOV BI	1345	00100-LT0	PS#/	w ?	Snat	at end of teaming
7	NOV 82	JUNE 12/1	Mary Just	2:2	rkint	m For	Styl
Ë	-	1 J. F.	Willia 7 Ent	SATE OFFICE	Property of the		V L ASST
3	DEC 03	SE	( Let I Prove to	U. S.	ARMY [	ARCOM	DRAWING
					JUN	E 1981	
<u> </u>		/		CLASS	DEVISION	DRAWNE	ru:
				19	48	4116/ 15C	20PA 1002



#### GENERAL NOTES

- A. THIS APPENDIX CANNOT STAND ALONE BUT MUST BE USED IN CONJUNCTION WITH THE BASIC UNITIZATION PROCEDURES DRAWING 19-48-4116-20PA1002. TO PRODUCE AN APPROVED UNIT LOAD, ALL PERTINENT PROCEDURES, SPECIFICATIONS AND CRITERIA SET FORTH WITHIN THE BASIC DRAWING WILL APPLY TO THE PROCEDURES DELINEATED IN THIS APPENDIX. ANY EXCEPTIONS TO THE BASIC PROCEDURES ARE SPECIFIED IN THIS APPENDIX.
- B. DIMENSIONS, CUBE AND WEIGHT OF A PALLET UNIT WILL VARY SLIGHTLY DEPENDING UPON THE ACTUAL DIMENSIONS OF THE BOXES AND THE WEIGHT OF THE SPECIFIC ITEM BEING UNITIZED.
- C. INSTALL EACH HORIZONTAL STRAP TO ENCIRCLE EACH LAYER OF BOXES ON THE PALLET AND TO BE ALIGNED WITH THE HORIZONTAL PIECES OF THE "SUPPORT GATE" AS SHOWN. HORIZONTAL STRAPS MUST BE TENSIONED AND SEALED PRIOR TO APPLICATION OF TIEDOWN STRAPS.
- D. INSTALL EACH TIEDOWN STRAP TO PASS UNDER THE TOP DECK BOARDS OF THE PALLET AND TO SE AUGNED WITH THE VERTICAL PIECES OF THE "SUPPORT GATE" AS SHOWN. TIEDOWN STRAPS WILL NOT SE APPLIED UNTIL THE HORIZONTAL STRAPS HAVE SEEN TENSIONED AND SEALED.
- E. THE FOLLOWING DARCOM DRAWINGS ARE APPLICABLE FOR OUTLOADING AND STORAGE OF THE ITEMS COVERED BY THIS APPENDIX.

CARLOADING ----- DRAWING 19-48-4115-57A 1002
RUCKLOADING ----- DRAWING 19-48-4117-11PA 1003
STORAGE ---------- DRAWING 19-48-4118-1-2-3-4-14-22PA 1002

- F. FOR METHOD OF SECURING A STRAP CUTTER TO THE PALLET UNIT, SEE DARCOM DRAWING 19-48-4127-20P1000.
- G. IF ITEMS COVERED HEREIN ARE UNITIZED PRIOR TO ISSUANCE OF THIS APPENDIX, THE BOXES NEED NOT BE REUNITIZED SOLELY TO CONFORM TO THIS APPENDIX.
- H. THE UNITIZATION PROCEDURES DEPICTED HEREIN MAY ALSO BE USED FOR UNITIZING 20MM CARTRIDGES WHEN IDENTIFIED BY DIFFERENT NATIONAL STOCK NUMBERS (NSN) THAN WHAT IS SHOWN ON THE TITLE PAGE, PROVIDED THE BOX PACK DOES NOT VARY FROM WHAT IS DELINEATED HEREIN. THE EXPLOSIVE CLASSIFICIATION OF OTHER ITEMS MAY BE DIFFERENT THAN WHAT IS SHOWN.
- J. REGARDLESS OF THE QUANTITY OF BOXES TO BE PALLETIZED, THE TOTAL WEIGHT OF ANY PALLET UNIT WILL NOT EXCEED 4,000 POUNDS. WHEN THE TOTAL WEIGHT OF A FULLY LOADED PALLET UNIT EXCEEDS 4,000 POUNDS, ONE OR MORE LOADED BOXES MUST BE REMOVED, AND EITHER FILLER ASSEMBLES, AS DEPICTED BELOW, OR EMPTY BOXES MUST BE SUBSTITUTED THEREFORE, FOR ADDITIONAL GUIDANCE, SEE THE "PROVISIONS FOR LESS-THAN-FULL-LAYER LOADS" ON PAGE 5 OF THE BASIC UNITIZATION PROCEDURES DRAWING 19-48-4116-20PA 1002.


	BILL OF MATERIAL	
WASER	LINEAR FEET	BOARD FEET
1" X 4" 2" X 6"	16.00 19.00	5.33 19.00
NAILS	NO, REQD	POUNDS
6d (2")	48	0.28
	1-1/4" 82.67" RE TRAPPING 6 RE	QD

TOTAL WEIGHT

CURE .

3,981 LBS (APPROX)

40.0 CU FT (APPROX)



( FOR MINUS ONE BOX )

